VOLUME 11

AUTHOR INDEX

Adams, J., 313
Allen, J., 585
Alsat, E., 179
Ambrus, G., 401
Amnon, D., 885
Angee, I., 673
Archer, D., 885
Axelrod, L., 827, 837, 851

Baulieu, E., 207
Baur, J., 231
Benagiano, G., 673
Bernstein, S., 151
Birmingham, M., 165, 733
Boris, A., 681
Bose, A., 27
Bradlow, H., 265, 273, 541
Büki, K., 401

Canonica, L., 287, 749
Carballeira, A., 513
Cedard, L., 179
Černý, V., 475
Cheo, K., 603
Conrow, R., 151
Cook, B., 321
Coombs, M., 925
Cooper, A., 637
Cooper, J., 133
Counsell, R., 817

Daigneault, E., 721
DeJongh, D., 649
DeNicola, A., 165
Diczfalusy, E., 877
Dixon, W., 693
Durnhofer, F., 513

Ego, C., 179
Eleftheriou, B., 89, 667
Elliott, W., 73
Eneroth, P., 187, 417

Ficher, M., 351
Fiecchi, A., 287, 749
Fishman, J., 337
Flickinger, G., 389, 885
Floch, H., 207
Foell, T., 649
Fotherby, K., 649
Frankland, M., 13
Fukushima, D., 273, 541

Gallagher, T., 337
Galli, G., 287, 749
Galli Kienle, M., 287, 749
Gan, C., 863
Gardner, J., 37
Gawienowski, A., 717
Gaylor, J., 699
Görög, S., 93
Greipel, M., 13
Grosser, B., 827, 837
Grossi Paoletti, E., 287, 749
Gustafsson, J., 555

Halliwell, R., 231
Hellman, L., 273, 337
Herbst, D., 935
Hong, B., 817
Hoppe, P., 667
Hora, J., 475
Horne, D., 909
Hribar, J., 649
Huang, W., 453
Hyde, P., 721

Idler, D., 465, 909
Isurugi, K., 1

Jackanicz, T., 877
Jackson, R., 755
James, V., 497
Jelínek, J., 565
Johnston, D., 113
Jones, S., 693
Jung, I., 207

Katzman, P., 73
Kellie, A., 133
Kelly, W., 429
Kincl, F., 673
Kinoshita, K., 1
Kittinger, G., 47
Knapstein, P., 885, 915
Knights, B., 585
Knoche, H., 123
Koerner, D., 541
Kraulis, I., 165

Landa, V., 475
Langenbach, R., 123
Langston, R., 231
Lantos, C., 733
Layne, D., 97
Lee, T., 699
Lincoln, F., 755, 769
Lipsett, M., 527
Littleton, P., 649
Lisboa, B., 555
Livingstone, F., 299
Loke, K., 603, 863

MacKellar, F., 787
Maeyama, M., 799
Marhan, O., 565
Martin, L., 897
Masaracchia, R., 717
Matsumoto, Y., 1
Matuoka, H., 799
Mauvais-Jarvis, P., 207
Mitchell, F., 299
Mohla, S., 571
Munson, P., 105

Nalbandov, A., 321
Niswender, G., 321
Norman, R., 89, 667
Norton, H., 321
Nystrom, E., 187, 417

Paoletti, R., 287, 749
Pataki, J., 225
Patchett, A., 113
Peng, T., 105
Pennington, G., 693
Pike, J., 755, 769
Pollard, I., 897
Prasad, M., 571
Purdy, R., 837, 851

Ramer, R., 27
Ranade, V., 817

Ranucci, S., 429
Rees, R., 649
Řežábová, B., 475
Richardson, B., 231
Robel, P., 207
Roderick, H., 925

Saha, N., 97
Saito, A., 465
Sawicki, C., 113
Scala, A., 287
Seda, M., 565
Shackleton, C., 299
Shaver, J., 429
Shefter, E., 637
Shrader, S., 649
Simmer, H., 13
Singh, B., 637
Sjövall, J., 703
Sjövall, K., 703
Slomp, G., 789
Smith, H., 649, 935
Solo, A., 37, 637
Sorm, F., 475
Spero, G., 755, 769
Spies, H., 667
Steinberger, E., 351
Summerfelt, R., 89
Sutterlin, N., 321

Takayasu, H., 1
Thijssen, J., 369
Thompson, J., 755, 769
Thysen, B., 73
Tömörkény, E., 401
Touchstone, J., 389, 885, 915
Townsend, J., 497
Traikov, H., 733
Treiber, L., 915
Tuchida, Y., 799

Varangot, J., 179
Veeman, W., 369
Verdonck, L., 609
Vermeulen, A., 609
Vihko, R., 703
Vinson, G., 245

Watanabe, H., 97
Whitehouse, B., 245
Willette, R., 817
Windholz, T., 113
Wiseman, P., 465
Wix, G., 401
Wlos, R., 225
Wong, M., 313
Wood, W., 347
Wu, C., 389, 885

Yagi, A., 541
Yamauchi, T., 541
Yoshimi, T., 527

Zlotnik, G., 13
Zumoff, B., 273, 337

VOLUME 11

SUBJECT INDEX

Acetylation
of cortisol by baboon brain, corticosteroid-21-0-acetyltransferase, 851
of cortisol, corticosterone and pregn-4-en-21-ol-3,11,20-trione by baboon brain, 837
of cortisol and cortisone by developing primate brain, 827
in the identification of $\Delta 5$-C_{19} steroids in cord plasma, 13
Adrenal carcinoma, effect on urinary pregnanes, 1
Adrenal cortical steroids, quantitative gas chromatography of, 47
Adrenal steroid synthesis, in macaca mulatta, 733
Adrenal tissue, human, corticosteroid biosynthesis by, 245
Aldosterone
conjugate of, neutral resin extraction, from urine, 265
metabolic end product, monkey, 733
synthesis by frog adrenals, 165
Algae, red, sterols in, 465
Alkylating groups, incorporating progesterone analogs, 37
17-amino- and 17-acetamido- progesterones, synthesis of, 113
Androsta-1,4-dien-17β-ol-3-one
in lanosterol demethylation inhibition, 699
19-nor-Androsta-3,5-dian-17α ethynyl-3,17β-diol diacetate (SC 6091)
estrogenic activity, 897
dl-Androsta-4,9(11)-diene-18-methyl-17β-ol-3-one
anabolic and androgenic activities of, lithium-ammonia reduction of, 935
dl-4-nor-Androsta-5,9(11)-dien-17β-acetoxy-18-methyl-5-ol-3-oic acid 3,5-lactone, 935
Androgens
as products of the matabolism of androst-5-en-3β-ol-17-one (dehydroepiandrosterone) in human ovarian tissues, 389
Androsterone
2,4-dinitrophenylhydrazone of, quantitative determination by thin-layer chromatography, 915
as part of urinary metabolism, 207
as an end product of human metabolism of dehydroisoandrosterone, 273
Anti-estrogenic activity, of some synthetic steroids and non-steroids, 897

NOTES TO READERS:

(1) nor- and seco- compounds are alphabetized under the parent name; e.g., 19-nortestosterone is listed under "t" with the rest of the name determining the alphabetical position.

(2) A methyl ester is listed under the parent name; e.g., methyl 5 -etianoate is listed under "e."

(3) Compounds are named with the basic steroid system given first; e.g., 5α-androstane-2β-methyl-3-one rather than 2β-methyl-5α-androstan-3-one.

Aromatization, testosterone into estrone and estradiol
by human placenta perfused in vitro, 179
Assay, automater fluorimetric, of plasma cortisol, 497
Androstanediols
precursors of, in urinary metabolism, 207
5α-Androst-1-en-3β-acetoxy-17α-methyl-17β-ol (SC 11464)
estrogenic activity, 897
5α-Androst-1-ene-17α-methyl-17β-ol-3-one (SC 11195)
estrogenic activity, 897
5α-Androstane-2β,3β-diol-6,17-dione, 475
5α-Androstane-3α,17β-diol
binding to plasma protein, 609
5α-Androstane-3β,17β-diol
binding to plasma protein, 609
5α-Androstan-3α-ol-17-one
in lanosterol demethylation inhibition, 699
5α-Androstan-3α-ol-17-one
in pregnancy plasma, 703
5α-Androstan-3β-ol-17-one
binding to plasma protein, 609
5α-Androstan-3β-ol-17-one
in lanosterol demethylation inhibition, 699
5α-Androstan-3β-ol-11,17-dione
binding to plasma protein, 609
5α-Androstane-3,17-dione
as part of urinary metabolism, 207
5α-Androstane-3,17-dione
in lanosterol demethylation inhibition, 699
17a-oxa-D-homo-5α-Androstan-3,17-dione (SC 5888)
estrogenic activity, 897
5α-Androstan-5-chlor-3β-ol-6,17-dione, 475
5α-Androstan-11β-ol-3,17-dione
binding to plasma protein, 609
5α-Androstane-17α-methyl-3 ,17 -diol
binding to plasma protein, 609
5α-Androstan-17β-ol-3-one
as part of urinary metabolism, 207
binding to plasma protein, 609
dl-5α-Androstane-18-methyl-3,17-dione
anabolic and androgenic activities of, 935
5β-Androstane-2β,3β-diol-6,17-dione, 475
5β-Androstane-3α,11β-diol-17-one (trivial: 11β-hydroxyetiocholanolone)
in the determination of cortisol production in man, 429
5β-Androstane-3α,17β-diol
isolation from normal human urine, 105
5β-Androstane-3α,17β-diol
binding to plasma protein, 609
5β-Androstan-3α-ol-17-one
binding to plasma protein, 609
as an end product of human metabolism of dehydroisoandrosterone, 273
2,4-dinitrophenylhydrazone of, quantitative determination by thin-layer chromatography, 915
in lanosterol demethylation inhibition, 699

5β-Androstan-11β-ol-3,17-dione
binding to plasma protein, 609
5β-Androstan-17β-ol-3-one
binding to plasma protein, 609
as part of urinary metabolism, 207
5β-Androstan-17β-ol-3,11-dione
binding to plasma protein, 609
19-nor-Androst-4-ene-1α-methyl-17β-ol-3-one
binding to plasma protein, 609
Androst-4-ene-3α,17β-diol
as part of urinary metabolism, 207
Androst-4-en-3β,17β-diol
binding to plasma protein, 609
as part of urinary metabolism, 207
Androst-4-en-3,17-dione
binding to plasma protein, 609
in lanosterol demethylation inhibition 699
quantitative elution from silica gel, 717
Androst-4-ene-3,11-17-trione
binding to plasma protein, 609
in lanosterol demethylation inhibition, 699
Androst-4-ene-6β,17β-diol-3-one
biosynthesis from testosterone by human fetal liver microsomes, 555
Androst-4-en-11β-ol-3,17-dione
binding to plasma protein, 609
metabolic end product, monkey, 733
19-nor-Androst-4-en-17α-ethynyl-3β,17β-diol 17-acetate (SC 12222)
estrogenic activity, 897
19-nor-Androst-4-en-17α-ethynyl-3β,17β-diol diacetate (SC 11800)
estrogenic activity, 897
Androst-4-en-17α-ethynyl-17β-ol-3-one
in lanosteron demethylation inhibition, 699
Androst-4-en-17α-methyl-3β,17β-diol
and sodium chloride-induced hypertension in rats, 721
Androst-4-en-17α-methyl-17β-ol-3-one
binding to plasma protein, 609
in lanosterol demethylation inhibition, 699
Androst-4-en-17α-ol-3-one
binding to plasma protein, 609
Androst-4-en-17β-acetoxy-17α-ethynyl-3-one (SC 8470)
estrogenic activity, 897
Androst-4-en-17β-ol-3-one
diffusion through polymer membranes, 673
Androst-4-en-17β-ol-3-one acetate
in lanosterol demethylation inhibition, 699
Androst-4-en-17β-ol-3-one chloroacetate
in lanosterol demethylation inhibition, 699
Androst-4-en-17β-ol-3-one iodoacetate
in lanosterol demethylation inhibition, 699
Androst-5-ene-3β,17α-diol
in infant and adult urine and in umbilical cord plasma; quantitatively compared with the 17β-ol isomer, 299
in pregnancy plasma, 703

Androst-5-ene-3β,17β-diol
binding to plasma protein, 609
as an end product of human metabolism of dehydroisoandrosterone, 273
in infant and adult urine and in umbilical cord plasma; quantitatively compared with the 17α-ol isomer, 299
as a metabolite of androst-5-en-3β-ol-17-one, 885
in pregnancy plasma, 703
Androst-5-ene-3β,16α,17β-triol
as a metabolite of androst-5-en-3β-ol-17-one, 885
Androst-5-ene-3β,16α-diol-17-one
identification in cord plasma, 13
as a metabolite of androst-5-en-3β-ol-17-one, 885
Androst-5-ene-3β,17β-diol-16-one
as a metabolite of androst-5-en-3β-ol-17-one, 885
Androst-5-en-3β-ol-17-one
binding to plasma protein, 609
2,4-dinitrophenylhydrazone of, quantitative determination by thin-layer chromatography, 915
identification in cord plasma, 13
in lanosterol demethylation inhibition, 699
metabolism in brain in vivo and in vitro, 885
metabolism of, in man, 273
in pregnancy plasma, 703
Androst-5-en-3β-ol-17-one-7α-^{3}H (dehydroepiandrosterone)
metabolism in ovary, 389
Androst-5-ene-3,17-dione
fate of 4β-hydrogen on isomerization to androst-4-ene-3,17-dione, 541
Androst-5-ene-3,17-dione-4-^{14}C,4β-^{3}H, 541
Androst-5-en-17 -ethynyl-3β,17β-diol
in lanosterol demethylation inhibition, 699
dl-3,5-seco-4-nor-Androst-9(11)-ene-18-methyl-17β-ol-5-on-3-oic acid, 935
dl-methyl 3,5-seco-4-nor-Androst-9(11)-3n3-18-methyl-17β-ol-5-on-3-oate, 935

Biological conversion, of 5α-cholest-8-en-3β-ol to 5α-cholest-7-en-3β-ol, the stereochemistry of hydrogen elimination in, 749
Biosynthesis, of androst-4-ene-6β,17β-diol-3-one from testosterone by human fetal liver microsomes, 555
Biosynthesis, testicular sterol, effect of steroid structure on the inhibition of lanosterol demethylation by steroid hormones, 699
Brassicasterol (24β-methyl-cholesta-5,22-dien-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
in red algae, 465

Campestanol (24α-methyl-5α-cholestan-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
Campesterol (24α-methyl-cholest-5-en-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
from tobacco, 231
1-Chloro-2-[p-(2-diethylaminoethoxy)phenyl]-1,2-diphenylethylene (MRL 41)
estrogenic activity, 897
N(2-Chloro-1,1,2-trifluoroethyl)-diethylamine
16-hydroxy steroid to 16-fluoro steroid, 769

16α-Chloro steroids
a new approach to 16α-halo steroids I, 755
a new approach to 16α-halo steroids II, 769
5α-Cholesta-2,7-dien-6-one, 475
Cholesta-5,7-dien-3β-ol, 287
Cholesta-5,7-dien-3β-ol acetate, 749
Cholesta-5,22-dien-3β-ol, in red algae, 465
5α-Cholesta-7,9(11)-dien-3β-ol, 287
5α-Cholesta-7,22-dien-3β-iodo-24β-methyl-6-one, 475
5α-Cholestane-2β,3α-dichlor-6-one, 475
5α-Cholestan-2α,3α-epoxy-6-one, 475
5α-Cholestan-2β,3β-epoxy-6-one, 475
5α-Cholestane-2β,3β-diol-6-one, 475
5α-Cholestane-3α-chloro-2β,5-diol-6-one, 475
5α-Cholestan-3α-ol-6-one, 475
5α-Cholestane-3α,25-diol-6-one, 475
methyl 26,27-dinor-5α-Cholestan-3α-ol-6-one-25-oate, 475
5α-Cholestane-3β-chloro-6-one, 475
5α-Cholestane-3β,5-dichloro-6-one, 475
5α-Cholestan-3β-ol-6-one, 475
5α-Cholestane-3β,5-diol-6-one, 475
5α-Cholestane-3β,7α,8α-triol 3β-acetate, mixture with the 7β,8β compound, 749
5α-Cholestane-3β,7β,8β-triol 3β-acetate, mixture with the 7α,8α compound, 749
5α-Cholestane-3β,8α-diol-7-one 3β-acetate, mixture with the 8β-compound, 749
5α-Cholestane-3β,8β-diol-7-one 3β-acetate, mixture with the 8α-compound, 749
5α-Cholestan-3,6-dione, 475
7,8-seco-5α-Cholestane-3,8-dion-7-oic acid, 287
5α-Cholestane-5-chlor-3β-ol-6-one, 475
5α-Cholestane-5-chloro-6-one, 475
5α-Cholestan-5-fluoro-3β-ol-6-one, 475
5α-Cholestan-5-ol-3,6-dione, 475
5α-Cholestan-6-hydroxyimino-3β-ol, 475
5α-Cholestan-6-one, 475
3α,5-cyclo-5α-Cholestan-6-one, 475
5β-Cholestane-2β-chloro-3α-ol-6-one, 475
5β-Cholestane-2β,3β-diol-6-one, 475
5β-Cholestane-3α-chlor-2β-ol-6-one, 475
5β-Cholestane-3α,25-diol-6-one, 475
5α-Cholestane-3β-acetoxy-5-ol-6-one, 475
Cholestanol (5α-cholestan-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
5α-Cholest-2-en-5-ol-6-one, 475
5α-Cholest-2-en-6-one, 475
Cholest-4-en-2β,3β-isopropylidene-dioxy-6-one, 475
Cholest-4-ene-2β,3β-diol-6-one, 475
Cholest-4-en-3β-acetoxy-6-one, 475
Cholest-4-en-3,6-dione, 475
Cholest-4-en-6-one, 475
Cholest-5-en-3β-ol sulfate (see Cholesteryl sulfate)
5α-Cholest-7-en-3β-ol, 287
5α-Cholest-7-en-3β-ol, 749
5α-Cholest-7-en-3β-ol acetate, 749
5α-Cholest-7-en-3β-ol-6-one, 475

5α-Cholest-8-en-3β-ol, 749
biological conversion into 5α-cholest-7-en-3β-ol in the biosynthesis of cholesterol, 287
Cholesterol
gas-liquid chromatography and mass spectrometry of, 417
quantitative elution from silica gel, 717
in red algae, 465
side-chain scission by adrenocortical preincubation media (PIM), 513
sulfation of, in extracts of human breast carcinoma, 313
from tobacco, 231
Cholesterol biosynthesis, conversion of 5α-cholest-8-en-3β-ol to 5α-cholest-7-en-3β-ol, 287
Cholesteryl sulfate
formation of on incubation of extracts of human breast carcinoma with adenosine-3'-phosphate-5'-phosphosulfate, 313
from human feces, 417
in human feces, quantification of, 187
Chromatography, column
on alumina, of urinary pregnanes, 1
on cortisol derivatives, 429
cortisol and 5β-pregnane-1β,3α,17α,21-tetraol-11,20-dione, 693
on florisil, of a mixture of estr-4-en-17β-acetoxy-6α and 6β-fluoro-3-one and estr-4-en-17β-acetoxy-6β-ol-e-one, 225
partition, of extracts of incubation of estrone with minced porcine adrenocortical tissue, 863
of certain pregnanes, androstanes, progesterones and estrogens, 527
of certain "pregnen-21-oil acid" methyl esters, 755
on lipophilic Sephadex, of cholesteryl sulfate and neutral sterol derivatives, 187
sephadex: steroid "monosulfates" and "disulfates," 703
on sephadex, G-25, of certain pregnanes, androstanes, progesterones and estrogens, 527
on silica acid, of estra-1,3,5(10),16-tetraen-3-ol, 73
silicic acid: cetlit, 4:1, of progesterone derivatives, 123
Chromatography, gas-liquid
of androst-4-ene-6β,17β-diol-3-one, 555
of fecal sterols, 417
with mass spectrometry, of androst-4-ene-6β,17β-diol-3-one, 555
with mass spectrometry in the identification of estra-1,3,5(10),16-tetraen-3-ol, 73
with mass spectrometry, of fecal sterols, 417
with mass spectrometry, of certain pregnanes, 703
in the measurement of small amounts of estrogens in urine, 369
of certain pregnanes, androstanes, progesterones and estrogens, 527
in the quantitative identification of adrenal cortical steroids, 47
for the separation of saturated C_{19}-steroid-3,17-diols and derivatives, 105
of sterols from red algae, 465
of tobacco sterols, 231
of urinary pregnanes, 1
Chromatography, liquid-liquid, on celite, of cortisol derivatives, 429
Chromatography, paper
of cholesterol side-chain scission products, 513
of corticosteroids, 245

Chromatography, paper (continued)
cortisol and 5β-pregnane-1β,3α,17α,21-tetraol-11,20-dione, 693
on cortisol derivatives, 429
of equilenin and equilin, 603
estrogens and porcine adrenocortical metabolites, 863
glass fiber paper impregnated with silica gel, of corticosterone and deoxycorticosterone, 721
of metabolites of androst-5-en-3β-ol-17-one, 885
of the products, from human metabolism, of androst-5-en-3β-ol-17-one, 273
of Δ5-C_{19} steroids, 13
testosterone, estrone, estradiol and others, 877
Chromatography, thin-layer
of androst-4-ene-6β,17β-diol-3-one, 555
of androst-5-ene-3β,17α and 17β-diol, 299
of corticosteroid metabolites, 733
on cortisol derivatives, 429
cortisol and 5β-pregnane-1β,3α,17α,21-tetraol-11,20-dione, 693
detection of 18 estrogens with Haenni's kober reagent B, 73
of equilenin and equilin, 603
of estra-1,3,5(10),16-tetraen-3-ol, 73
of certain estrogens, 337
of certain estrogens and androgens, the products of human ovarian tissue metabolism of dehydroepiandrosterone, 389
of estrone, estradiol and "16-ketoestradiol," 667
of estrone, estradiol and an estriol derivative, 369
of 21-halopregnanes, 817
of metabolites of androst-5-en-3β-ol-17-one, 885
of certain pregnanes, androstanes, progesterones and estrogens, 527
in quantitative determination of plasma ketosteroids (2,4-dinitrophenylhydrazones), 915
quantitative elution of steroids from silica gel layers, 717
recovery of steroids from, 909
for the separation of saturated C_{19}-steroid-3,17-diols and derivatives, 105
silica gel with rice starch binder, of Δ5-C_{19} steroids, 13
of sterols from red algae, 465
of tobacco sterols, 231
Clauberg assay, 37
Clomiphene, inhibition of estrogen induced glycogen synthesis in the rat by, 571
Configuration, of 16-substituted-17(20)-pregnane derivatives by NMR, 787
Congenital adrenal hyperplasia, effect on urinary pregnanes, 1
Conjugated ketosteroids, application of sodium borohydride in the spectrophotometric investigation of, 93
Conjugated steroid nitriles, formation of, from ketone and diethyl cyanomethylphosphonate with dimsyl anion and dimethyl sulfoxide, 27
Contraceptive steroids, localization in rat tissues, 97
Corpora lutea, porcine, the influence of some steroids on progesterone synthesis in vitro by, 321
Corticosteroids, biosynthesis in human adrenal, 245
Corticosteroid synthesis, by monkey adrenals, 733
Corticosteroid-21-O-acetyltransferase
distribution of, in baboon brain, 837
properties of, from the baboon brain, and radiochemical assay for, 851

Corticosterone
adrenal plasma levels of, in rats having androst-4-en-17α-methyl-3β,17β-diol and sodium chloride-induced hypertension, 721
binding to plasma protein, 609
in corticosteroid biosynthesis, 245
diffusion through polymer membranes, 673
in lanosterol demethylation inhibition, 699
metabolic end product, monkey, 733
Cortisol
acetylation by brain enzyme, 837, 851
automated fluorimetric assay, 497
binding to plasma protein, 609
conjugate of, neutral resin extraction of, from urine, 265
conversion to cortisol 21-acetate, cortisone 21-acetate and cortisone by developing primate brain, 827
in corticosteroid biosynthesis, 245
diffusion through polymer membranes, 673
estimation of, a rapid and precise method for the estimation of the production rate of, in man, 429
in lanosterol demethylation inhibition, 699
metabolic end product, monkey, 733
recovery of micro-quantities of, from silica gel following repeated thin-layer chromatography, 909
in vivo transformation to 5β-pregnane-1β,3α,17α,21-tetraol-11,20-dione, 693
Cortisone
binding to plasma protein, 609
formation from cortisol by developing primate brain, 827
in lanosterol demethylation inhibition, 699
Crystal structure, pregn-5-en-14α,17α-ethano-16α-iodo-3β-ol-20-one acetate, 637
Cushing's syndrome, effect on urinary pregnanes, 1

Degradation, of steroid nucleus, inhibition of, in mycobacterial transformations, 401
22-Dehydrocholesterol (see Cholesta-5,22-dion-3β-ol)
Dehydroepiandrosterone (see Androst-5-en-3β-ol-17-one)
Dehydroisoandrosterone (see Androst-5-en-3β-ol-17-one)
Deoxycorticosterone
adrenal plasma levels of, in rats having androst-4-en-17α-methyl-3β,17β-diol and sodium chloride-induced hypertension, 721
binding to plasma protein, 609
in corticosteroid biosynthesis, 245
in lanosterol demethylation inhibition, 699
metabolic end product, monkey, 733
as starting material in the preparation of 21-halopregnanes, 817
Deoxycortisol (see Pregn-4-ene-17α,21-diol-3,20-dione)
Desmosterol (cholesta-5,24-dien-3β-ol) in red algae, 465
Diaza heterocycles of estra-1,3,5(10)-trien-17-one, 151
Diethyl cyanomethylphosphonate, reaction with steroidal ketones to form conjugated nitriles, 27
1-[p-(2-Diethylaminoethoxy)phenyl]-2-(p-methoxyphenyl)-1-phenylethane (MRL 37)
estrogenic activity, 897

1-[p-(2-Diethylaminoethoxy)phenyl]-2-(p-methoxyphenyl)-1-phenylethanol (MER 25), estrogenic activity, 897
Diethylstilbestrol, quantitative elution from silica gel, 717
n,n-Diethyl-1,2,2-trichlorovinylamine
as reagent for the synthesis of chloro steroids, a new approach to 16α-halo corticoids II, 769
Diffusion, of various steroids through polymer membranes, 673
3β-Dimethylamino-5α-conanin-6-one, 475
Dimethylstilbestrol, estrogenic activity, 897
Double isotope derivative analysis, 721
in the identification of Δ5-C_{19} steroids in cord plasma, 13
of progesterone metabolism, monkey, 733
Dulse (rhodymenia palmata), sterols of, 465

Elution of steroids, from silica gel layers, 717
Equilenin (estra-1,3,5(10),6,8-pentaen-3-ol-17-one), formation from equilin by porcine adrenals, 603
Equilin (estra-1,3,5(10),7-tetraen-3-ol-17-one), conversion to equilenin by porcine adrenals, 603
Estra-1(10),4-dieno[2,3-C][1',2',5']oxadiazol-17-one, 151
Estra-1(10),4-dieno[2,3-C][1',2',5']oxadizol-17-one 2'(and 5') oxide, rapidly equilibrating mixture, 151
Estra-1(10),4-dieno[2,3-d][2',1',3'] thiadiazol-17-one, 151
Estra-3,5-diene-3,17β-diol dl-acetate, 225
17α-Estradiol, in lanosterol demethylation inhibition, 699
17β-Estradiol
binding to plasma protein, 609
conjugate of, neutral resin extraction, from urine, 265
determination of free plasma levels of, in carp, 89
diffusion through polymer membranes, 673
in the ewe estrous cycle, 667
in the identification of Δ5-C_{19} steroids in cord blood, 13
in lanosterol demethylation inhibition, 699
as a metabolite of androst-5-en-3β-ol-17-one, 885
quantitative elution from silica gel, 717
dl-methyl 3,5-seco-4-nor-Estran-17β-acetoxy-18-methyl-5-on-3-oate, 935
dl-3,5-seco-4-nor-Estran-17β-acetoxy-18-methyl-5-on-3-oic acid, 935
Estra-1,3,5(10),16-tetraen-3-ol, in human pregnancy urine, 73
Estra-1,3,5(10)-triene-2,3-diamino-17-one, 151
Estra-1,3,5(10)-triene-2,4-dibromo-3,16α,17β-triol (2,4-dibromo-estriol), 925
Estra-1,3,5(10)-triene-2,4-dibromo-3,17β-diol-16-one, 925
Estra-1,3,5(10)-trien-3-amino-2-nitro-17-one, 151
Estra-1,3,5(10)-trien-3-amino-17-one, 151
Estra-1,3,5(10)-trien-3-azido-2-nitro-17-one, 151
Estra-1,3,5(10)-triene-3-methoxy-16-aza-17-one
effects on endocrine system in immature rat, 681
Estra-1,3,5(10)-triene-3-methoxy-16α-methyl-16β,17β-diol (SC 6924)
estrogenic activity, 897
Estra-1,3,5(10)-triene-3-methoxy-16α-methyl-16β-ol-17-one (SC 8916)
estrogenic activity, 897
Estra-1,3,5(10)-triene-3-methoxy-17α-ethynyl-17β-ol
diffusion through polymer membranes, 673
Estra-1,3,5(10)-triene-3,14α-diol-17-one (14 -hydroxyestone), 863

Estra-1,3,5(10)-triene-3,17β-diol-16-one
in the estrous cycle, 667
determination of free plasma levels of, in carp, 89
2,4-[^{3}H]$_2$-Estra-1,3,5(10)-triene 3,17β-diol-16-one, 925
Estra-1,3,5(10)-triene-16α-chlor-17-one (SC 9263)
estrogenic activity, 897
Estra-1,3,5(10)-trien-17α-ethynyl-3,17β-diol
in lanosterol demethylation inhibition, 699
Estra-1,3,5(10)-trien-17-one
conversion to some 2,3-fused diaza-heterocycles, 151
Estra-1,3,5(10)-trieno[2,3-d]imidazol-17-one, 151
Estra-1,3,5(10)-trieno[2,3-d] 1',2',3' triazol-17-one, 151
Estr-4-en-6α-fluoro-17β-acetoxy-3-one
synthesis of, 225
Estr-4-ene-6β-fluoro-17β-acetoxy-3-one
synthesis of, 225
Estr-4-en-17α-ethynyl-3β,17β-diol diacetate (ethynodiol diacetate)
uptake in rat tissues, 97
Estr-4-en-17α-ethynyl-17β-ol-3-one (noretaindrone)
diffusion through polymer membranes, 673
uptake in rat tissues, 97
Estr-4-en-17β-acetoxy-6β-ol-3-one
synthesis of, 225
dl-Estr-4-en-17β-acetoxy-18-methyl-3-one
ozonization of, 935
Estr-4-en-17β-ol-3-one
in lanosterol demethylation inhibition, 699
Estr-5(10)-en-17α-ethynyl-17β-ol-3-one (norethynodrel)
uptake in rat tissues, 97
dl-methyl 3,5-seco-4-nor-Estr-9-en-17β-acetoxy-18-methyl-5-on-3-oate, 935
dl-3,5-seco-4-nor-Estr-9-ene-18-methyl-17β-ol-5-on-3-oic acid
methylation of, 935
Estriol
binding to plasma protein, 609
in the identification of 5-C_{19} steroids in cord blood, 13
lack of synthesis from testosterone in the human placenta, 877
in lanosterol demethylation inhibition, 699
as a metabolite of androst-5-en-3β-ol-17-one, 885
a rapid and reliable method of determination of, in pregnancy urine, 453
2,4-[^{3}H]$_2$-Estriol, 925
Estriol-17α-^{3}H, metabolism in man, 337
Estrogenic activity, of some synthetic steroids and non-steroids, 897
Estrogens
determination of, in carp, at different times before spawning and as a function of ovarian weight, 89
effect of progesterone synthesis by corpora lutea, 321
a gas chromatographic method for measurement of small amounts of, in urine, 369
inhibition of estrogen-induced glycogen synthesis in the rat by clomiphene, 571
method of determination, urinary estriol and polar estrogens in pregnancy urine, 453
tritiated, a convenient synthesis, 925

Estrone
binding to plasma protein, 609
effects of endocrine system in immature rat, 681
in the ewe estrous cycle, 667
14α-hydroxylation by porcine adrenals, 863
in lanosterol demethylation inhibition, 699
as a metabolite of androst-5-en-3β-ol-17-one, 885
Estrone-3-methyl ether
effects on endocrine system in immature rat, 681
17α-Ethynyl-19-norsteroids
uptake by rat tissues, 97
Ewe, free plasma estrogens in the ewe during the estrous cycle, 667
Extraction, of steroid conjugates from urine, 265

Feces, human, sterol composition of the steryl sulfate fraction in, 417
Fetal liver, biosynthesis of androst-4-ene-6β,17β-diol-3-one by human fetal liver microsomes, 555
Fluorescence, the effect of oxygen on the fluorescence reaction of progesterone, 347
Fluorimetry, automated method for plasma cortisol, 497
16α-Fluoro steroids
a new approach to 16α-halo corticoids I, 755
a new approach to 16α-halo corticoids II, 769
Frog adrenals, synthesis of aldosterone by, 165
Fucosterol (24-ethylidene-cholest-5-en-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
in red algae, 465

Glycogen, inhibition of estrogen-induced glycogen synthesis in the rat by clomiphene, 571
Gonadotropin inhibition, by progesterone; pregna-4,6-diene-16-methylene-17α-acetoxy-3,20-dione; and pregna-4,6-diene-6-chloro-16-methylene-17α-acetoxy-3,20-dione, 565
dl-5α-Gonan-13β-ethyl-3,3-ethylenedioxy-17α-ethynyl-17β-ol, 649
dl-5α-Gonan-13β-ethyl-3,3-ethylenedioxy-17α-ol, 649
dl-5α-Gonan-13β-ethyl-3,3-ethylenedioxy-17-one, 649
dl-5α-Gonan-13β-ethyl-17α-ethynyl-17β-ol-3-one, 649
dl-5α-Gonan-15β-ethyl-17β-ol-3-one, 649
dl-5β-Gonan-13β-ethyl-3,3-ethylenedioxy-17α-ethynyl-17β-ol, 649
dl-5β-Gonan-13β-ethyl-3,3-ethylenedioxy-17β-ol, 649
dl-5β-Gonan-13β-ethyl-3,3-ethylenedioxy-17-one, 649
d- 5β-Gonan-13β-ethyl-17α-ethynyl-3α,17β-diol
as a human metabolite of norgestrel, mass spectrum of, 649
dl-5β-Gonan-13β-ethyl-17α-ethynyl-3α,17β-diol
mass spectrum of, 649
dl-5β-Gonan-13β-ethyl-17α-ethynyl-3β,17β-diol
metabolite of norgestrel corresponding in structure to, 649
d - 5β-Gonan-13β-ethyl-17α-ethynyl-17β-ol-3-one, 649
optical rotary dispersion spectrum of, 649
dl-5β-Gonan-13β-ethyl-17α-ethynyl-17β-ol-3-one, 649
dl-5β-Gonan-13β-ethyl-17β-ol-3-one, 649
dl-Gon-4-ên-13β-ethyl-17α-ethynyl-2α,17β-diol-3-one, 649
dl-Gon-4-en-13β-ethyl-17α-ethynyl-4,17β-diol-3-one, 649

dl-Gon-4-en-13β-ethyl-17α-ethynyl-6α,17β-diol-3-one, 649
dl-Gon-4-en-13β-ethyl-17α-ethynyl-6β,17β-diol-3-one, 649
dl-Gon-4-en-13β-ethyl-17α-ethynyl-10β,17β-diol-3-one, 649
dl-Gon-4-en-13β-ethyl-17α-ethynyl-17β-ol-3-one (norgestrel)
human metabolites of mass spectrum of, 649

Half acids-half esters
of glutaric, adipic and pimelic acids; acetylation with followed by selective hydrolysis to afford the ω-carboxybutanoate, the ω-carboxypentanoate and the ω-carboxyhexanoate of pregn-4-en-17α-ol-3,20-dione, 37
21-Halopregnanes, 817
Hormone receptors, an approach to the tagging of, 37
Hydrogen elimination, in the biological conversion of 5α-cholest-8-en-3β-ol to 5α-cholest-7-en-3β-ol, the stereochemistry of, 749
6β-Hydroxylase, 555
9α-Hydroxylation of steroids, inhibition of, by chelating agents, 401
17α-Hydroxyprogesterone (see Pregn-4-en-17α-ol-3,20-dione)
16-Hydroxysteroids
as intermediates in the syntheses of 16α-halo corticoids, 755
a new approach to 16α-halo corticoids, 755
17β-Hydroxysteroids (36 examples), binding to plasma proteins, 609
6β-Hydroxytestosterone (see Androst-4-ene-6β,17β-diol-3-one)
Hypertension
androst-4-en-17α-methyl-3β,17β-diol - sodium chloride induced, in rats, 721
corticosterone and deoxycorticosterone levels, in rats, 721

Inhibition, of steroid nucleus degradation, in mycobacterial transformations, 401
Inhibition, end product, effect of steroid structure on the inhibition of lanosterol demethylation by steroid hormones, 699
Isomerization, Δ^5-3-ketosteroid to Δ^4-3-ketosteroid with beef adrenal microsomes or rat liver supernatant preparations, 541
Isotopic labels
H^3 (=T), 13, 97, 167, 207, 245, 273, 287, 337, 351, 389, 429, 527, 541, 609, 673, 693, 721, 733, 749, 837, 885, 909, 925
C^{14}, 13, 47, 133, 167, 179, 187, 207, 231, 245, 265, 273, 321, 337, 351, 513, 541, 673, 699, 717, 721, 733, 799, 817, 827, 837, 851, 863, 877, 885, 909
^{125}I, 817

Δ^5-3-Ketosteroid, fate of the 4β-hydrogen in the isomerization to Δ^4-3-ketosteroid, 541
6-Ketosteroids (total of 47), sterilizing effect of, on housefly, 475
17-Ketosteroids, determination in plasma as hydrazones by thin-layer densitometry, 915
Kinetics, of human corticosteroid biosynthesis, in vitro, 245

Lathosterol (5α-cholest-7-en-3β-ol), gas-liquid chromatography and mass spectrometry of, 417
Luteinizing hormone, influence on the aromatization by human placenta perfused in vitro, 179

Mass spectrometry
coupled with gas-liquid chromatography of androst-4-ene-6 ,17 -diol-3-one, 555

Mass spectrometry (continued)
coupled with gas-liquid chromatography, of fecal sterols, 417
coupled with gas-liquid chromatography, of certain pregnanes, 703
in the elucidation of the products of the human metabolism of norgestrel, 649
of the trimethylsilyl derivative of estra-1,3,5(10),16-tetraen-3-ol, 73
Megestrol acetate (see Pregna-4,6-diene-6-methyl-17β-acetoxy-3,20-dione)
Metabolism
of androst-5-en-3β-ol-17-one (dehydroepiandrosterone) in human ovarian tissues, 389
of dehydroisoandrosterone (androst-5-en-3β-ol-17-one-4-^{14}C,3β-^{3}H) in man, 273
of estriol-17α-^{3}H in man, 337
3-(p-Methoxyphenyl)-4-ethyl-7-hydroxycourmarin (SC 7801), estrogenic activity, 897
24-Methylenecholest-5-en-3β-ol, in red algae, 465
24-Methylenecholesterol (see 24-methylenecholest-5-en-3β-ol)
6-Methylpregna-4,6-dien-17α-acetoxy-3,20-dione (see Pregna-4,6-diene-6-methyl-17α-acetoxy-3,20-dione)
Monkey adrenals, corticosteroid synthesis by, 733
Mycobacterial degradation of the steroid nucleus, inhibition of, 401

Nitriles, conjugated steroid, from steroidal ketones via phosphates, 27
Norgestrel (see dl-Gon-4-en-13β-ethyl-17α-ethynyl-17β-ol-3-one)
Nuclear magnetic resonance spectroscopy, determination of stereochemistry of 16-substituted steroids, 787

Ovary, metabolism of androst-5-en-3α-ol-17-one (dehydroepiandrosterone) in, 389
Oxygen, effect of, on the fluorescence reaction of progesterone, 347

Pettenkofer reaction, in the identification of 5β-androstane-3α,17α-diol from normal human urine, 105
Plasma, steroid sulfates in pregnancy, 703
Plasma 17-ketosteroids, determination as 2,4-dinitrophenylhydrazones by thin-layer densitometry, 915
Placenta
absence of 16α-hydroxylating activity in, 877
human perfused in vitro, aromatization by, 179
metabolism of progesterone, 799
Pregna-1,4-dien-21-acetoxy-6α,16α-difluoro-11β,17α-diol-3,20-dione (6α,16α-difluoroprednisolone acetate), 769
Pregna-1,4-dien-21-acetoxy-16α-chloro-6α-fluoro-11β,17α-diol-3,20-dione (6α-fluoro-16α-chloroprednisolone acetate), 769
Pregna-1,4-dien-21-acetoxy-16α-chloro-6α-methyl-11β,17α-diol-3,20-dione (6α-methyl-16α-chloroprednisolone acetate), 769
Pregna-1,4-dien-21-acetoxy-16α-chloro-9α-fluoro-6α-methyl-11β,17α-diol-3,20-dione (6α-methyl-9α-fluoro-16α-chloro-prednisolone acetate), 769
Pregna-1,4-dien-21-acetoxy-16α-fluoro-6α-methyl-11β,17α-diol-3,20-dione (6α-methyl-16α-fluoroprednisolone acetate), 697
Pregna-4,6-diene-6-chloro-16-methylene-17α-acetoxy-3,20-dione inhibition of ovarian compensatory hypertrophy, 565

Pregna-4,6-diene-6-hydroxymethyl-17α-acetoxy-2α-ol-3,20-dione
as glucuronide conjugate, from the metabolism of megestrol acetate in women, 133
Pregna-4,6-diene-6-hydroxymethyl-17α-acetoxy-3,20-dione
as glucuronide conjugate, from the metabolism of megestrol acetate in women, 133
Pregna-4,6-diene-6-methyl-17α-acetoxy-2α-ol-3,20-dione
as glucuronide conjugate, from the metabolism of megestrol acetate in women, 133
Pregna-4,6-diene-6-methyl-17α-acetoxy-3,20-dione (megestrol acetate)
diffusion through polymer membranes (dimethylpolysiloxane), 673
metabolism of, in women, 133
Pregna-4,6-diene-16-methylene-17α-acetoxy-3,20-dione
inhibition of ovarian compensatory hypertrophy, 565
Pregna-4,16-diene-3,20-dione
in lanosterol demethylation inhibition, 699
methyl cis-Pregna-4,17(20)-diene-3,11-dion-21-oate, 755
methyl trans-Pregna-4,17(20)-diene-3,11-dion-21-oate, 755
methyl trans-Pregna-4,17(20)-dien-16α-chloro-3,11-dion-21-oate, 769
methyl cis-Pregna-4,17(20)-dien-16α-ol-3,11-dion-21-oate, 755
methyl trans-Pregna-4,17(20)-dien-16β-ol-3,11-dion-21-oate, 755
methyl trans-Pregna-5,17(20)-dien-3-ethylenedioxy-16α-chlor-11-on-21-oate, 769
Pregna-5,20-diene-3β,20-diacetate, 817
Pregnancy, steroid sulfates in plasma, 703
5α-Pregnane, derivatives of, in pregnancy plasma, 703
5α-Pregnane-2β,3β-diol-6,20-dione, 475
5α-Pregnane-2β,3β,20β-triol-6-one, 475
5α-Pregnane-3α-chlor-2β-ol-6,20-dione, 475
5α-Pregnane-3β,20β-diol
in lanosterol demethylation inhibition, 699
5α-Pregnane-3β,20α-diol
in pregnancy plasma, 703
5α-Pregnan-3β-ol-20-one
in pregnancy plasma, 703
Pregnane-3,6-20-triol isomers
gas-liquid chromatography and mass spectra of, 585
synthesis of, 585
5α-Pregnane-3α,6α,20α-triol
synthesis of, also triacetate tripropionate, 585
5α-Pregnane-3α,6α,20β-triol
synthesis of, also triacetate, tripropionate, tris TMS ether, 585
5α-Pregnane-3β,6β,20α-triol
synthesis of, also triacetate, tripropionate, 585
5α-Pregnane-3β,6β,20β-triol
synthesis of, also triacetate, tripropionate, tris TMS ether, 585
5α(β)-Pregnane-3α(β),20α(β)-diol, the eight isomers
in pregnancy plasma, 703
5α(β)-Pregnan-3α(β)-ol-20-one, the four isomers
in pregnancy plasma, 703
5α-Pregnane-5-chlor-3β-ol-6,20-dione, 475
Pregnan-21-acetoxy-3-ethylenedioxy-16α-chloro-6β-methyl-5α,11β-17α-triol-20-one, 769
Pregnan-21-acetoxy-3-ethylenedioxy-16α-fluoro-6β-methyl-5α,11β,17α-triol-20-one, 769

Pregnan-21-acetoxy-3-ethylenedioxy-6β,16α-difluoro-5α,11β,17α-triol-20-one, 769
Pregnan-21-acetoxy-16α-chlor-5α,6α-epoxy-3-ethylenedioxy-11β,17α-diol-20-one, 769
Pregnan-21-acetoxy-16α-chloro-5α,6β,11β,17α-tetraol-3,20-dione, 769
Pregnan-21-acetoxy-16α-chloro-6β-fluoro-5α,11β,17α-triol-3,20-dione, 769
5β-Pregnane-1β,3α,17α,21-tetraol-11,20-dione
in vivo transformation from cortisol, 693
5β-Pregnane-2β-chlor-3α-ol-6,20-dione, 475
5β-Pregnane-3α-chlor-2β-ol-6,20-dione, 475
5β-Pregnane-3α,20α-diol
in lanosterol demethylation inhibition, 699
5β-Pregnane-3α,20α-diol diacetate
in lanosterol demethylation inhibition, 699
5β-Pregnane-3α,6α,20α-triol
synthesis of, also triacetate, tripropionate, 585
5β-Pregnane-3α,6α,20β-triol
synthesis of, also triacetate, tripropionate, tris TMS ether, 585
5β-Pregnane-3α,6α,20β-triol
synthesis of, also triacetate, tripropionate, 585
5β-Pregnane-3α,6β,20β-triol
synthesis of, also triacetate, tripropionate, tris TMS ether, 585
5β-Pregnane-3α,11β,17α,20α-tetrol
gas chromatographic estimation of, in urine, 1
5β-Pregnane-3α,17α,20α-triol
gas chromatographic estimation of, in urine, 1
5β-Pregnane-3α,17α,20α-triol-11-one
gas chromatography estimation of, in urine, 1
5β-Pregnane-3α,21-diol-11,20-dione
from metabolism of pregn-4-en-21-ol-3,11,20-trione in frog adrenals, 165
methyl trans-Pregna-1,4,17(20)-triene-3,11,16-trion-21-oate, 755
methyl cis-Pregna-1,4,17(20)-triene-16α-chloro-3,11-dion-21-oate, 769
methyl trans-Pregna-1,4,17(20)-triene-16α-fluoro-3,11-dion-21-oate, 769
methyl cis-Pregna-1,4,17(20)-trien-16α-ol-3,11-dion-21-oate, 755
methyl cis-Pregna-1,4,17(20)-trien-16α-ol-3,11-dion-21-oate 16-mesylate, 755
methyl cis-Pregna-1,4,17(20)-triene-16β-chloro-3,11-dion-21-oate, 769
methyl cis-Pregna-1,4,17(20)-triene-16β-fluoro-3,11-dion-21-oate,769
methyl trans-Pregna-1,4,17(20)-triene-16β-fluoro-3,11-dion-21-oate, 769
methyl trans-Pregna-1,4,17(20)-trien-16α-ol-3,11-dion-21-oate, 755
methyl cis-Pregna-1,4,17(20)-trien-16β-ol-3,11-dion-21-oate, 755
methyl trans-Pregna-1,4,17(20)-trien-16β-ol-3,11-dion-21-oate, 755
methyl cis-Pregna-1,4,17(20)-trien-16β-ol-3,11-dion-21-oate 16-acetate, 755
Pregn-4-ene-3,6,20-trione, from alkaline oxidation of progesterone, 123
19-nor-Pregn-4-ene-3,20-dione
diffusion through polymer membranes, 673
Pregn-4-ene-3,11,20-trione
in lanosterol demethylation inhibition, 699
Pregn-4-ene-6α-methyl-17α-ol-3,20-dione
in lanosterol demethylation inhibition, 699
Pregn-4-en-17α-acetoxy-21-fluoro-3,20-dione (SC 10017)
estrogenic activity, 897
Pregn-4-en-17α-acetylamino-3,20-dione, 113
Pregn-4-en-17α-amino-3,20-dione
synthesis of, 113

Pregn-4-ene-17α,21-diol-3,20-dione
binding to plasma protein, 609
in corticosteroid biosynthesis, 245
in lanosterol demethylation inhibition, 699
Pregn-4-en-17α-ol-3,20-dione
analogs derived from esters of, used as agents for alkylating steroid hormone receptors, 37
binding to plasma protein, 609
in corticosteroid biosynthesis, 245
in lanosterol demethylation inhibition, 699
Pregn-4-ene-20α-ol-3-one
effect on progesterone synthesis by corpora lutea, 321
Pregn-4-en-20β-ol-3-one
effect of progesterone synthesis by corpora lutea, 321
Pregn-4-en-21-acetoxy-16α-chroro-6α-fluoro-11β,17α-diol-3,20-dione (6α-fluoro-16α-chlorohydrocortisone acetate), 769
Pregn-4-en-21-acetoxy-16α-chloro-6α-methyl-11β,17α-diol-3,20-dione (6α-methyl-16α-chlorohydrocortisone acetate), 769
Pregn-4-en-21-acetoxy-6α,16α-difluoro-11β,17α-diol-3,20-dione (6α,16α-difluorohydrocortisone acetate), 769
Pregn-4-en-21-acetoxy-16α-fluoro-6α-methyl-11β,17α-diol-3,20-dione (6α-methyl-16α-fluorohydrocortisone acetate), 769
Pregn-4-en-21-chloro-3,20-dione, 817
Pregn-4-en-21-iodo-3,20-dione, 817
Pregn-4-en-21-ol-3,20-dione methanesulfonate, 817
Pregn-4-en-21-ol-3,11-20-trione
in lanosterol demethylation inhibition, 699
metabolism by frog adrenals, 165
Pregn-5-en-3β-ol-3-one
binding to plasma protein, 609
Pregn-5-en-3β-ol-20-one
in corticosteroid biosynthesis, 245
effect of progesterone synthesis by corpora lutea, 321
in lanosterol demethylation inhibition, 699
metabolism of, in monkey, 733
in pregnancy plasma, 703
Pregn-5-en-3β-ol-20-one acetate
in lanosterol demethylation inhibition, 699
Pregn-5-en-3β-ol-20-one chloroacetate
in lanosterol demethylation inhibition, 699
Pregn-5-en-3β-ol-20-one iodoacetate
in lanosterol demethylation inhibition, 699
Pregn-5-en-3β,17α-diol-20-one
binding to plasma protein, 609
in corticosteroid biosynthesis, 245
in lanosterol demethylation inhibition, 699
Pregn-5-ene-3β,17α,20α-triol
gas chromatography estimation, in urine, 1
Pregn-5-ene-3β,20α-diol
in pregnancy plasma, 703
Pregn-5-ene-6α-methyl-3β-ol-20-one
in lanosterol demethylation inhibition, 699

Pregn-5-ene-14α,17α-ethano-16α-carbomethoxy-3β-ol-20-one acetate
proof of structure and reactions of, 637
Pregn-5-en-16α,17α-acetylimino-3β-ol-20-one
in the synthesis of pregn-4-en-17α-amino-3,20-dione, 113
Pregn-5-ene-16α-bromo-3β-ol-20-one acetate
in lanosterol demethylation inhibition, 699
Pregn-5-en-17α-acetylamino-3β-ol-20-one, 113
Pregn-5-ene-21-bromo-3β-ol-20-one-acetate, 817
Pregn-5-en-21-iodo-3 -ol-20-one acetate, 817
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-fluoro-5α,16α-diol-11-on-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-fluoro-5α,16β-diol-11-on-21-oate, 755
methyl trans-pregn-17(20)-en-3-ethylenedioxy-6β-fluoro-5α,16β-diol-11-on-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-fluoro-5α-ol-11-on-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-fluor-5α-ol-11,16-dion-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β,16α-difluoro-5α-ol-11-one-21-oate, 769
methyl trans-Pregn-17(20)-en-3-ethylenedioxy-6β,16α-difluoro-5α-ol-11-one-21-oate, 769
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β,16β-difluoro-5α-ol-11-one-21-oate, 769
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-methyl-5α-ol-11-on-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-6β-methyl-5α,16α-diol-11-on-21-oate, 755
methyl trans-Pregn-17(20)-en-3-ethylenedioxy-6β-methyl-5α,16β-diol-11-on-21-oate, 755
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-16α-chloro-6β-fluoro-5α-ol-11-one-21-oate, 769
methyl trans-Pregn-17(20)-en-3-ethylenedioxy-16α-chloro-6β-methyl-5α-ol-11-one-21-oate, 769
methyl trans-Pregn-17(20)-en-3-ethylenedioxy-16α-fluoro-6β-methyl-5α-ol-11-one-21-oate, 769
methyl cis-Pregn-17(20)-en-3-ethylenedioxy-16β-fluoro-6β-methyl-5α-ol-11-one-21-oate, 769
trans-Pregn-17(20)-en-21-acetoxy-16α-chloro-5α,6α-epoxy-3-ethylenedioxy-11 -ol, 769
methyl trans-Pregn-17(20)-ene-16α-chloro-5α,6α-epoxy-3-ethylenedioxy-11-on-21-oate, 769
cis-Pregn-17(20)-en-21-acetoxy-3-ethylenedioxy-6β-16α-difluoro-5α,11β-diol, 769
trans-Pregn-17(20)-en-21-acetoxy-3-ethylenedioxy-6β,16α-difluoro-5α,11β-diol, 769
trans-Pregn-17(20)-en-21-acetoxy-3-ethylenedioxy-16α-chloro-6β-methyl-5 ,11 -diol, 769
trans-Pregn-17(20)-en-21-acetoxy-3-ethylenedioxy-16α-fluoro-6β-methyl-5 ,11 -diol, 769
Pregnenolone (see Pregn-5-en-3β-ol-20-one)
Primates, adrenal cortical steroid production, 47

Production rate of cortisol, estimation of, in man, 429
Progesterone
alkaline oxidation of, 123
binding to plasma protein, 609
concentration and biosynthesis in the placenta, 799
conjugate of, neutral resin estraction, from urine, 265
in corticosteroid biosynthesis, 245
diffusion through polymer membranes, 673
fluorimetric assay, 123
inhibition of ovarian compensatory hypertrophy, 565
in lanosterol demethylation inhibition, 699
measurement of, in blood, 527
measurement of level of, during menstrual cycle, 527
metabolic end product, monkey, 733
metabolism of, in monkey, 733
metabolism by testicular tissue at different stages of maturation, 351
oxygen effect on the fluorencence reaction of, 347
quantitative elution from silica gel, 717
synthesis by porcine corpora lutea, 321

Radiochemical assay, for corticosteroid-21-0-acetyltransferase activity, 851
Radioiodinated pregnanes, as tumor localizing agents, 817
Recovery, of steroids from thin-layer chromatography, 909
Resin, neutral, in the extraction of steroid conjugates, 265
Ring-D-bridged steroid analogs, stereochemistry of, 637

Selenium dioxide hydroxylation, of certain steroids, 755
Selenium dioxide oxidation, of steroids, 755
β-Sitostanol (24α-ethyl-5α-cholestan-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
β-Sitosterol (24α-ethyl-cholest-5-en-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
in red algae, 465
from tobacco, 231
Sodium borohydride, application of, in the spectrophotometric investigation of conjugated ketosteroids, 93
Sodium chloride, and androst-4-en-17α-methyl-3β,17β-diol induced hypertension in rats, 721
Spectophotometric investigation of conjugated ketosteroids, application of sodium borohydride in, 93
Stereochemistry
configuration of 16-substituted 17(20)-pregnane derivatives by NMR, 787
of hydrogen elimination in the biological conversion of 5α-cholest-8-en-3β-ol to 5α-cholest-7-en-3β-ol, 749
Sterilization, of houseflies, with 6-ketosteroids, 475
Steroids
quantitative elution from silica gel layers, 717
recovery after repeated thin-layer chromatography, 909
5-C_{19} Steroids, identification in cord plasma, 13
Steroid conjugates from urine, extraction with a neutral resin, 265
C_{19}-Steroid-3,17-diols, in normal human urine, 105
Steroid quantitation, as 2,4-dinitrophenylhydrazones by thin-layer densitometry, 915

Steroidal ketones, Wittig-type reaction to form a conjugated nitrile, 27
Sterols, from the steryl sulfate fraction in human feces, 417
Sterols, tobacco, effect of tobacco mosaic virus on, 231
Stigmasterol (24α-ethyl-cholesta-5,22-dien-3β-ol)
gas-liquid chromatography and mass spectrometry of, 417
in red algae, 465
from tobacco, 231
16-Substituted Steroids, stereochemistry of, by nuclear magnetic resonance spectroscopy, 787

Testicular sterol biosynthesis, effect of steroid structure on the inhibition of lanosterol demethylation by steroid hormones, 699
Testicular tissue, conversion of progesterone to testosterone in, 351
Testosterone
binding to plasma proteins, 609
biosynthesis of androst-4-ene-6β,17β-diol-3-one from testosterone by human fetal liver microsomes, 555
conjugate of, neutral resin extraction, from urine, 265
conversion of progesterone to, by testicular tissue at different stages of maturation, 351
in lanosterol demethylation inhibition, 699
as part of urinary metabolism, 207
Testosterone metabolism, precursors of urinary androstanediols, 207
19-nor-Testosterone, binding to plasma protein, 609
19-nor-Testosterone (SC 4341), estrogenic activity, 897
Thiosemicarbazone, formation of, in the identification of Δ5-C_{19} steroids in cord plasma, 13
Tobacco sterols, from normal and tobacco mosaic virus-infected tobacco plants, 231
Trimethylsilyl ethers
of fecal sterols, 417
formation of, with pregnane alcohols, 1
Tritium incorporation, a convenient preparation of high specific activity tritiated estrogens, 925
Tumor localizing agents, radioiodinated pregnanes, 817
Twins, metabolism of progesterone, 799

Umbilical cord plasma, androst-5-ene-3β,17α and 17β-diols in, 299
Urine, androst-5-ene-3β,17α and 17β-diols in, 299

Wilkinson's catalyst (tristriphenyl-phosphine rhodium chloride)
hydrogenation of a steroidal Δ^5,Δ^7-diene to a Δ^7-ene, 749